



Product availability: Stock - Normally stocked in distribution facility



Main

Range	TeSys
Product or component type	Extended rotary handle
Device short name	GV7AP
Range compatibility	TeSys GV7 motor circuit breaker TeSys GV5 motor circuit breaker
Accessory / separate part category	Control accessory
Rotary handle mounting location	Front
Rotary handle mounting style	Extended

Complementary

Handle colour	Black
Handle front plate colour	Black
Back/door distance	7.28...23.62 in (185...600 mm)
Rotary handle padlocking	1 to 3 padlocks 0.20...0.31 in (5...8 mm) Padlock in OFF position
Net weight	1.71 lb(US) (0.775 kg)

Environment

IP degree of protection	IP55
-------------------------	------

Ordering and shipping details

Category	22366 - MAN STR PROTECTORS-GV1/GV3
Discount Schedule	I11
GTIN	00785901328223
Package weight(Lbs)	0.72 kg (1.59 lb(US))
Returnability	Yes
Country of origin	FR


Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Contractual warranty

Warranty	18 months
----------	-----------

Extended Rotary Handle GV7AP01, GV7AP02



l: 185 minimum, 600 maximum

The shaft of the extended rotary handle GV7AP01 or GV7AP02 must be cut to length: l – 126 mm.